Westwood Country Estates Plan Approval

Tam rappaorin		
Lot#	Circle One	
1.Living area greater or equal to 2500 sq.ft.under A/C(1 story)	Yes	No
2.Living area greater or equal to 3000 sq.ft.under A/C(2 Story)	Yes	No
3. All dwelling will have a 2 car garage	Yes	No
4. All roofs shall a cement tile, metal roof(min. 26 gauge) or clay tile	Yes	No
5. There shall be no flat roofs on any dwelling except for porch roofs	Yes	No
6. No fence shall be erected on any lot streetward of the front of the building structure	Yes	No
7. All driveways shall be cement or upgrade such as concrete pavers or brick and shall be minimum of 12 feet wide.	Yes	No
8. No chainlink fences shall be permitted	Yes	No
 All construction on lots shall comply with the Martin County Code for septic system and any well 	Yes	No
10. Front Yard-(1/2 acre lot) min. 40ft (1 acre lot) 50ft	Yes	No
(note lots-26 & 50) 30ft 11. Rear Yard-All lots -25 ft	Yes	No
12. Side Yards(interior lots) 20ft -corner lots 25ft Corner lots-street side 30ft	Yes	No
13. Preserve area 10ft(note-pool,decks and patios may be setback 5ft from the preserve areas	Yes	No
14. All lots with dwellings shall be fully sodded with St. Augustine or Floritam grass only and sod shall extend to the edge of the road. On lake front lots, the sod shall extend to the lake (Note ON LAKE LOTS ONLY THEY MUST BE CLEARED TO THE LAKE)	Yes	No
15. All lots shall have an irrigation system to water all grass and planted landscaping	Yes	No
16, All driveway culvert pipes shall be 13" x 17" BCCSP with mitered en and concrete aprons on each end.	ids Yes	No
17. All swales and culvert grades MUST be 1.2 ft below the crown of the	Rd.	Yes N

Page 2

Westwood Country Estates Plan Approval

. m*	Circle One	
18. All swales shall be constructed the entire length of each lot, plus 3 ft beyond each lot line	Yes	No
19. NOTE: IMPORTANT-CULVERT AND SWALE INSPECTION Prior to driveway construction the owner shall contact the association and shall have a final culvert and swale inspection and approval. The swale and the culvert pipe must be set 1.2 ft below the crown of road. The owner must submit a certified survey that the swale and the culvert pipe are 1.2 ft below the crown of the road	Yes	No
20. Landscape Plan approval	Yes	No
21.Exterior Paint color approval	Yes	No
22. Note:unattached buildings are not permitted.		
Lot# Owner		
Plan submitted / / i		
Board Member Signature Date		